

Ozone UV Sterilization Cabinet

The ozone UV sterilization cabinet can sterilize the following appliances that are not resistant to high temperature: glass enamel cups, plastics, ceramics, machinery and equipment, production supplies, currency, non-woven fabrics, composite paper, packing boxes, packaging bags, appliances, cleaning appliances, mold, tableware, container, towels, work clothing, clothing, shoes,packaging materials, raw materials, solid objects. It is suitable for banks, hotels, restaurants, schools, production workshops with hygienic requirements, public places that need to be sterilized, and family rooms.



Control system

Features

Humanized design


High quality sealing materials, adjustable shelves, several layers can be customized according to the requirements, easy to use;

Control system

Fully automatic control, adjustable sterilization time and shut down automatically after sterilization.

Ozone sterilization

Sterilization is more thorough, rapid, comprehensive, stable, 360-degree coverage.



UV-C with ozone sterilization lamp spectral distribution

Technical Parameters

Model	BJPX-SVO60		BJPX-SVO80
Capacity	70L		90L
External Size(W*D*H)	398*398*452mm		398*498*452mm
Internal Size(W*D*H)	495*501*760mm		495*601*760mm
Sterilization Method	Ozone		
Shelves	2 pcs, adjustable (optional more layers)		
Material	Work Zone: 304 stainless steel, 1.0mm thick		
	Main Body:Cold-rolled steel with coating		
Ozone Concentration	>60mg/m3		
Ozone Leakage	<0.16mg/m3		
Working Condition	(a) ambient temperature range 5℃-40℃		
	(b) Relative humidity is not more than 85%		
	(c) Atmospheric pressure 70 Kpa-106Kpa		
	(d) No flammable, corrosive gas or conductive dust around		
Power Supply	AC 110/220V±10%, 50/60Hz		
Package Size(W*D*H)	626*620*860mm	726*620*860mm	
Gross Weight	50kg	55kg	